

SAFETY DATA SHEET

Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Graphite Dry Powder Other Identifiers: G Plus, G-1, graphite Product Codes: CH 543, CH532

Model Code(s) for Fire Extinguishers: None

Recommended Use: Fire extinguishant for metal fires, not for human

or animal drug use.

Manufacturer: AMEREX CORPORATION Internet Address: www.amerex-fire.com

Address: 7595 Gadsden Highway, P.O. Box 81

Trussville, AL 35173-0081

Company Telephone: (205) 655-3271

E-mail Address: info@amerex-fire.com

Emergency Contacts: Chemtrec 1(800) 424-9300 or

(703) 527–3887

Revised: March 20, 2018

Section 2. HAZARDS IDENTIFICATION

GHS - Classification

0110 0100011100111011		
Health	Environmental	Physical
Acute Toxicity: Category 5	None	None
Skin Corrosion/Irritation:	None	None
Skin Sensitization:	None	None
Eye: Category 2A	None	Warning
STOT – Category 3 (Single Exposure- Resp)	None	Warning
Carcinogen: Category None	None	None

GHS – Label Symbol(s):

()

Warning

If Pressurized: Gas Under Pressure

GHS – Signal Word(s):

Other Hazards Not Resulting in Classification: May create hazardous dust during shipping, handling, and use. May form combustible dust concentrations in air. The dust is a conductor of electricity. This dust may cause slippery conditions if on floor.

GHS - Hazard Phrases

GHS Hazard	GHS Codes(s)	Code Phrase(s)
Physical	H229	*- Pressurized container: may burst if heated
Health	H315	May be harmful if swallowed
	319	Causes serious eye irritation
	335	May cause respiratory irritation
Environmental	None	
Precautionary:		
General	P101	If medical advice is needed, have product container or label at hand
Prevention	P251	Do not pierce or burn, even after use.
	261	Avoid breathing dust/fumes/gas/mists/vapours/spray.
	264	Wash exposed skin thoroughly after handling.
	280	Wear protective gloves/protective clothing/eye protection/face protection.
Response	P312	Call a doctor if you feel unwell.
	321	Specific treatment (see Section 4. First Aid Measures)
	373	May cause damage to organs through prolonged or repeated exposure.
	302+352	IF ON SKIN: Wash with plenty of water.
	304+340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if
		present and easy to do – continue rinsing.
	332+313	If skin irritation occurs: Get medical advice/attention.
	337+313	If eye irritation persist get medical advice/attention.
	342+311	If experiencing respiratory symptoms: Call a doctor.
Storage	P410+403	*- Protect from sunlight. Store in a well-ventilated place.
Disposal	P501	Dispose of contents through a licensed disposal company. Contaminated container should
		be disposed of as unused product.

^{*-} If under pressure

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

	Chemical Name	EC No.	REACH Reg. No.	CAS-No.	Weight %	Classification
Gr	aphite	231-955-3	NA	7782-42-5	>99	NA

Adverse health effects and symptoms:

Serious irritant to the eyes; may cause respiratory irritation; mild irritant to mucous membranes and skin. Symptoms of inhalation include coughing, shortness of breath, and production of black sputum. Chronic exposure may cause pneumoconiosis, fibrotic disease, or aggravate existing pulmonary disease.

Section 4. FIRST AID MEASURES

Eye Exposure:

Causes irritation. Irrigate eyes with water and repeat until pain free. Remove contact lenses if present and easy to do – continue rinsing. Seek medical attention if irritation persists, or if visual changes occur.

Skin Exposure: May cause skin irritation. In case of contact, wash

with plenty of soap and water. Seek medical attention

if irritation persists.

Inhalation: May cause irritation, along with coughing and

appearance of black sputum. If respiratory irritation or

distress occurs, remove victim to fresh air. Seek

medical attention if irritation persists.

Ingestion: Overdose symptoms may include breathing difficulty

and coughing up black sputum. If victim is conscious and alert, give 2-3 glasses of water or milk to drink. Do not induce vomiting. Seek immediate medical attention. Do not leave victim unattended. To

prevent aspiration of swallowed product, lay victim on

side with head lower than waist.

Medical conditions possibly aggravated by exposure:

Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema, or bronchitis. Skin contact may aggravate existing skin

disease. Chronic overexposure may cause pneumoconiosis ("dusty lung" disease).

Section 5. FIRE-FIGHTING MEASURES

Flammable Properties: Not flammable Flash Point: Not determined

Suitable Extinguishing Media: CO2, water spray, dry chemical powder or foam. Do

not use water jet if dust is present

Hazardous Combustion Products: May release CO or CO2.

Explosion Data:

Sensitivity to Mechanical Impact: Not sensitive

Sensitivity to Static Discharge: Can conduct electricity or static charge Unusual fire/explosion hazards: Airborne dust could be explosive at high

concentrations. Fire can produce irritating and toxic gases which can cause burns to the skin and eyes.

Protective Equipment and

Precautions for Firefighters: As in any fire, wear self-contained breathing

apparatus pressure-demand. NIOSH (approved or

equivalent) and full protective gear.

Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with skin, eyes, and clothing. This is a

slip hazard; do not walk through spilled material.

Graphite can become a combustible dust if allowed to

become airborne. Minimize airborne dust.

Personal Protective Equipment: Wear PPE as specified in Section 8. Sweep up and

containerize for disposal or reclamation. Vacuuming

or wet sweeping is suggested to avoid dust

dispersion.

Emergency Procedures: Graphite can become a combustible dust if allowed to

become airborne.

Methods for Containment: Prevent further leakage or spillage if safe to

do so. Material should be collected mechanically and

disposed of in suitable containers.

Methods for Clean Up: Avoid dust formation. Clean up released material

using vacuum or wet sweep and shovel to minimize generation of dust. Bag and drum for disposal in

properly label containers.

Environmental Precautions: Prevent material from entering storm sewers or

conveyances to waterways.

Other: If product is contaminated, use PPE and containment

appropriate to the nature of the most toxic

chemical/material in the mixture.

Section 7. HANDLING AND STORAGE

Personal Precautions: Use appropriate PPE when handling or maintaining

equipment, and wash thoroughly after handling (see

Section 8).

Conditions for Safe Storage/Handling: Keep product in original container. Prevent falling.

Do not allow near heat sources.

Incompatible Products: Do not mix with other extinguishing agents. Store

away from ignition sources and direct sunlight.

Hazardous Decomposition Products: Carbon oxides, Potassium oxides

Hazardous Polymerization: Will not occur

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	OSHA PEL	ACGIH TLV	DFG MAK *	EU BLV
Graphite	15 mg/m ³ (total) 5 mg/m ³ (respirable)	2 mg/m ³ (respirable)	4 mg/m ³ (inhalable) 1.5 mg/m ³ (respirable)	NA

Engineering Controls:

Showers

Eyewash stations Ventilation systems

Personal Protective Equipment – PPE Code E:

The need for respiratory protection is not probable during short-term exposure. PPE use during production process must be independently evaluated.









Eye/Face Protection: Skin and Body Protection: Respiratory Protection: Chemical goggles

Wear nitrile or similar gloves/coveralls
If exposure limits are exceeded or irritation is
experienced, NIOSH approved respiratory protection
should be worn. Use P100 respirators for limited
exposure, use air-purifying respirator (APR) with high
efficiency particulate air (HEPA) filters for prolonged
exposure. Positive-pressure supplied air respirators
may be required for high airborne contaminant
concentrations. Respiratory protection must be
provided in accordance with current safety and health
requirements. The need for respiratory protection is
not likely for short-term use in well ventilated areas.
Good personal hygiene practice is essential, such as
avoiding food, tobacco products, or other hand-tomouth contact when handling. Wash thoroughly after

Hygiene Measures:

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Dark gray to black, odorless, fine powder. Feels

slippery.

handling.

Molecular Weight: 12.01gm Odor: Odorless

Odor Threshold:

Decomposition Temperature ^OC:

No information available

No information available

Freezing Point ^OC: Not applicable

Initial Boiling Point ^oC: > 4000

Physical State: Crystalline powder pH: Not applicable

Flash Point ^oC: Information not available

Autoignition Temperature ^oC: 452 – 518 Boiling Point/Range ^oC: Not Applicable

Melting Point/Range °C: Approximately 3600° C

Flammability: No, unless as combustible airborne dust

Flammability Limits in Air ^OC: Upper – Not Flammable; Lower-Not Flammable

Explosive Properties: Explosive as a dust

Oxidizing Properties: None

Volatile Component (%vol)

Evaporation Rate:

Vapor Density:

Not Applicable

Not Applicable

Vapor Pressure: 1 mm HG at 3586 °C

Specific gravity: Approximately 2.26 at 25 °C

Solubility: Insoluble in water

Partition coefficient, Kow Unknown Viscosity: Unknown Not Applicable

Section 10. STABILITY AND REACTIVITY

Stability: Stable

Incompatibles: Strong oxidizers such as chlorates and nitrates, liquid

potassium, peroxides, fluorine, and chlorine trifluoride.

Conditions to Avoid: Storage or handling near incompatibles. Graphite is a good conductor of electricity; do not allow situations

where electrical accidents can occur. Minimize

airborne dust generation.

Hazardous Decomposition Products: None known

Possibility of Hazardous Reactions: Reacts violently with oxides

Hazardous Polymerization Does not occur

Section 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Inhalation and eye contact.

Symptoms:

Immediate:

Inhalation: Irritation, coughing. Eyes: Possibly serious irritation.

Skin: Mild irritation.

Delayed: Symptoms appear to be relatively immediate

Page 6 of 11 Pages **GRAPHITE**

Acute Toxicity: Relatively non-toxic.

Chronic Toxicity:

Short-term Exposure: None known.

Long-term Exposure: As with all dusts, pneumoconiosis, or "dusty lung"

disease, may result from chronic exposure.

Acute Toxicity Values - Health

Ì	Chemical Name	LD50		LC50 (Inhalation)
		Oral	Dermal	
	Graphite	>2g/kg (rat)	Non-irritant, rabbit, 4 hour exposure	NA

Reproductive Toxicity:

This product's ingredients are not known to have

reproductive or teratogenic effects.

Target Organs and Effects (TOST): Respiratory system (mild irritant).

This product is a mild irritant to epithelial tissue, (eyes, mucous membranes, skin) and may aggravate dermatitis. No information was found indicating the

product causes sensitization.

Other Toxicity Categories

Chemical Name	Germ Cell	Carcino-	Repro-	TOST	TOST	Aspiration
	Mutagenicity	genicity	ductive	Single Exp	Repeated Exp	
Graphite	None	None	None	Category 3	Category 2	None

Section 12. ECOLOGICAL INFORMATION

Ecotoxicity: Non-toxic; however, as a silt it may degrade aquatic habitat.

Persistence/Degradability: Insoluble in water Probability of rapid biodegradation: Est: 0.74 (Rapid) Anaerobic biodegradation probability: Est: 0.76 (Rapid)

Bioaccummulation potential: Low.

Bioconcentration factor: Est: 2.43 (wet weight) Bioaccummulation: Little. Non-soluble.

Mobility in soil:

Log Koc:

Est. 0.946

Log Koa:

Est: -0.45

Log Kaw:

Est: 1.43

Other Adverse Ecological Effects: No other known effects at this time

Aquatic Toxicity Values – Environment – Research

Chemical Name	Acute (LC50)	Chronic (LC50)
Graphite	N/A	N/A

Aquatic Toxicity Values – Environment – Estimates

Chemical Name	Acute (LC50)	Chronic (LC50)
Graphite	165.54 mg/L Fish 96 hr;	39.20 mg/L Gr. Algae 96 hr
	83.95 mg/l Daphnid 48 hr;	

Section 13. DISPOSAL CONSIDERATIONS

Safe Handling Use appropriate PPE when handling, and wash

thoroughly after handling (see Section 8).

Waste Disposal Considerations Dispose in accordance with federal, state, and local

regulations.

Contaminated Packaging Dispose in accordance with federal, state, and local

regulations.

NOTES:

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

Section 14. TRANSPORT INFORMATION

UN Number:
UN Proper Shipping Name:
NA
Transport Hazard Class:
NA
Packing Group:
NA
Marine Pollutant?:
NO

IATA Not regulated

DOT Not regulated

NOTES:

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations.

Special Precautions for Shipping:

The transportation information above covers the Graphite Dry Powder extinguisher agent as shipped in bulk containers and not when contained in fire extinguishers or fire extinguisher systems. If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, non-toxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class/division is LIMITED QUANTITY when

pressurized to less than 241 psig and when shipped via highway or rail. UN Class 2.2. Non-Flammable Gas, when shipping via air. Packing Group - N/A

Section 15. REGULATORY INFORMATION

International Inventory Status: All ingredients are on the following inventories

,	9	9
Country(ies)	Agency	Status
United States of America	TSCA	Yes
Canada	DSL	Yes
Europe	EINECS/ELINCS	Yes
Japan	MITI	No
South Korea	KECL	Yes

REACH Title VII Restrictions: No information available

Chemical Name	Dangerous Substances	Organic Solvents	Harmful Substances Whose Names Are to be Indicated on Label	Pollution Release and Transfer Registry (Class II)	Pollution Release and Transfer Registry (Class I)	Poison and Deleterious Substances Control Law
Graphite	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Component	ISHA – Harmful Substances Prohibited for Manufacturing, Importing, Transferring, or Supplying	ISHA – Harmful Substances Requiring Permission	Toxic Chemical Classification Listing (TCCL) – Toxic Chemicals	Toxic Release Inventory (TRI) – Group I	Toxic Release Inventory (TRI) – Group II
Graphite	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

European Risk and Safety phrases:

EU Classification:	XN	Irritant
R Phrases:	20	Harmful by inhalation.
	36/37	Irritating to eyes, respiratory system.
S Phrases:	22	Do not breath dust.
	23/24/25	Avoid inhalation and contact with skin and eyes
	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	36	Wear suitable protective clothing.
	38	Where ventilation is insufficient, wear suitable respiratory equipment.

U.S. Federal Regulatory Information:

SARA 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) - This product does not contain and chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs), or are regulated under TSCA 8(d).

SARA 311/312 Hazard Categories:

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
*-Sudden Release of Pressure Hazard	Yes
Reactive Hazard	No

^{* -} Only applicable if material is in a pressurized extinguisher.

Clean Water/Clean Air Acts:

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42) or Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61) and Section 112 of the Clean Air Act Amendments of 1990.

U.S. State Regulatory Information:

Chemicals in this product are covered under specific State regulations, as denoted below:

Alaska - Designated Toxic and Hazardous Substances: None

California – Permissible Exposure Limits for Chemical Contaminants: None

Florida – Substance List: None

Illinois – Toxic Substance List: None Kansas – Section 302/303 List: None Massachusetts – Substance List: None

Minnesota – List of Hazardous Substances: None

Missouri – Employer Information/Toxic Substance List: None **New Jersey** – Right to Know Hazardous Substance List: None

North Dakota – List of Hazardous Chemicals, Reportable Quantities: None

Pennsylvania – Hazardous Substance List: None **Rhode Island** – Hazardous Substance List: None

Texas – Hazardous Substance List: None

West Virginia – Hazardous Substance List: None **Wisconsin** – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 list.

Other:

Mexico – GradeNo component listedCanada – WHMIS Hazard ClassNo component listed

Section 16. OTHER INFORMATION

This SDS conforms to requirements under U.S., U.K., Canadian, Australian, and EU regulations or standards, and conforms to the proposed 2003 ANSI Z400.1 format.

Issuing Date 17-June-2012 Revision Date 20-March-2018

Revision Notes None

The information herein is given in good faith but no warranty, expressed or implied, is made. Updated by William F. Garvin, CIH.